

BRIDGESTONE **Firestone**

Warranty Manual

Replacement Market Passenger and Light Truck Tires

including



Run-Flat Technology (RFT)



Self-Supporting Tires (SST)



Extended Mobility Tires (EMT)



For Tires Sold at Costco Wholesale
and Costco.ca



EN

Costco Wholesale and Costco.ca are Trademarks of Costco Wholesale Corporation and are used with permission

Effective Date 01/01/2024

REPLACEMENT MARKET PASSENGER AND LIGHT TRUCK TIRES

WHAT IS AN ELIGIBLE TIRE

Congratulations! You have just purchased quality BRIDGESTONE or FIRESTONE tires from Costco Wholesale (referred to in this section of the manual as DEALER). This Limited Warranty covers new BRIDGESTONE or FIRESTONE brand passenger and light truck tires. Note that the DURAVIS R238 and the DURAVIS M705 tire line limited warranty details are published in a separate limited warranty manual and are not included in this manual.

This Limited Warranty only applies to the original purchaser, and is valid if all of the following apply:

- The tire was purchased and primarily used in Canada after December 31, 2023.
- The tire is a size and speed rating equivalent to or greater than that specified by the vehicle manufacturer (exception: coverage applies to properly repaired tires which have voided the tire's speed rating).
- The tire has been used only on the passenger or light truck vehicle on which it was originally installed.
- The tire has not been used in commercial service (exception: certain coverage applies to Bridgestone DURAVIS and Firestone TRANSFORCE tires if used in commercial service).
- The tire is less than 10 (ten) years from the date of tire manufacture.
- Some DEALER locations (wholesale clubs, on-line purchases, and the like) may not service your warranty unless you hold a current membership and/or have purchased your tires at their location. Check with your DEALER to see if they have specific warranty processing requirements.
- Some Bridgestone or Firestone brand tires are sold exclusively through Costco Wholesale or Costco.ca. Other DEALER locations may not service your warranty for these tires. Check with your DEALER to see if they have specific warranty processing requirements for your specific Bridgestone or Firestone brand tire.
- The tire must be classified as a passenger and/or light truck tire. Tires classified as "commercial" tires (truck or bus) are not covered through this Limited Warranty and are addressed in the appropriate limited warranty manual for commercial tires. Commercial tires are any tire with the following rim sizes: 17.5-inch, 19.5-inch, 22.5-inch, or 24.5-inch.
- The tire was used and maintained in accordance with

all the terms contained within this manual and/or the accompanying Tire Maintenance and Safety manual available at www.bridgestonetire.ca/customer-care/tire-warranties.

- **IMPORTANT: By submitting a tire for consideration under this Limited Warranty you are certifying that the tire was not involved in any accident involving personal injury or property damage other than damage to the tire itself, that the tire is free and clear of all liens, and that you save Bridgestone Canada Inc. harmless for any claims or loss resulting from liens on the aforesaid tire.**

WHAT IS WARRANTED and FOR HOW LONG

An eligible tire that becomes unfit for the use for which it was designed due to a manufacturing defect in workmanship or material will be replaced with an equivalent new Bridgestone tire on the basis set forth in this Limited Warranty.

WHAT THIS LIMITED WARRANTY DOES NOT COVER

This Limited Warranty does not cover the following:

ROAD HAZARDS/MISAPPLICATION/ABUSE Tire damage or irregular wear due to:

- A. Road hazards**, including, without limitation: Puncture, cut, impact break, stone drill, bruise, bulge, snag, etc.
- B. Improper use or operation**, including, without limitation: Improper inflation pressure, overloading, tire/wheel spinning, use of an improper wheel, tire chain damage, misuse, misapplication, negligence, tire alteration, or for racing or competition purposes.
- C. Insufficient or improper maintenance**, including, without limitation: failure to rotate tires as recommended in this manual, wheel misalignment, worn suspension components, improper tire mounting or demounting, tire/wheel assembly imbalance, or other vehicle conditions, defects, or characteristics.
- D. Contamination or degradation** by petroleum products or other chemicals, fire or other externally generated heat, or water or other material trapped inside the tire during mounting or inflation. Tires with sealant, balance, or other filler material that was not originally applied or inserted by the tire manufacturer. Tires inflated with anything other than air or nitrogen.
- E. Improper repair.** Improper repair voids this Limited Warranty.
- F. For Run-Flat Technology Tires (RFT), Self-Supporting Tires (SST), or Extended Mobility Tires (EMT) only, improper, or low tire pressure operation**, including, without limitation: exceeding speed, distance, or other run-flat/low-pressure operation limitations.

- G. **The installation of tire accessories**, including, without limitation: tire sensors or RFID tags, which may impact the tire performance or damage the tire through mounting, use, or removal.

RAPID TREAD WEAR

- A. **Rapid tread wear**, or wear-out is **not** covered under the Bridgestone Platinum Pact. See the Limited Mileage Warranty section of this manual.
- B. **Original equipment tires on new vehicles have no mileage warranty. (See separate warranty, if applicable, in your vehicle's glove box.) Tires sold as exact original equipment replacements may have a mileage warranty. See the Limited Mileage Warranty section of this manual for details.**
- C. **Tires used in commercial service** have **NO** limited mileage warranty.

RIDE DISTURBANCE

- A. **Due to harsh ride or vibration** after 1.6 mm (2/32 inch) of tread wear use, limited to no more than two (2) tires per vehicle.
- B. **Due to noise** after 1.6 mm (2/32 inch) of tread wear use.
- C. **Due to pulling after** 1.6 mm (2/32 inch) of tread wear use, limited to no more than one (1) tire per vehicle.

IRREGULAR WEAR

- A. **Uneven or unusual wear** patterns, including, without limitation: Shoulder wear, center wear, cupping, or feathering.
- B. **Tires worn more than 1.6 mm** (2/32 inch) difference in remaining tread depth between any two major tread grooves across the tire.

CRACKING

- A. **Weather/ozone cracking after 4 years** from date of tire manufacture, regardless of date of purchase.
- B. **Weather/ozone cracking is NOT** covered under the “Free tire replacement period” in the Bridgestone Platinum Pact or the Firestone Gold Pledge. Weather/ozone cracking is covered only as a prorated charge. Note that shallow surface cracking is common among tires and is not considered as a covered condition. See the appropriate Technical Bulletin for more details.
- C. **Cold weather cracking** of non-winter tires by improper storage or use is **NOT** a covered condition. Some vehicles have specific recommendations regarding winter tire use; consult your vehicle owner's manual and tire information placard for more information.

OTHER

- A. **Tires used in commercial service** except Bridgestone Duravis tires.
- B. **Tires purchased as used.**
- C. **Tires purchased and primarily used** outside Canada.
- D. **The cost of applicable federal, provincial, and local taxes.**
- E. **Failure to follow any** of the safety and maintenance recommendations or warnings contained in this manual or the accompanying Tire Maintenance and Safety manual available at www.bridgestonetire.ca/customer-care/tire-warranties.

This Limited Warranty is in addition to and/or may be limited by any other applicable written warranty you may have received concerning special tires or situations. Note that additional exclusions, provisions and owner's obligations may be contained in other sections of this manual.

BRIDGESTONE LIMITED WARRANTY COVERAGE

BRIDGESTONE BRAND LIMITED WARRANTY

Platinum Pact Limited Warranty

The Platinum Pact Limited Warranty covers all eligible Bridgestone brand passenger and light truck tires—except winter, and “temporary use” spare tires. A tire covered by the Platinum Pact Limited Warranty will be replaced with an equivalent new Bridgestone, Firestone, or Associated Bridgestone brand tire at Bridgestone's discretion, either free of charge or for a prorated amount, if the tire becomes unfit for the use for which it was designed due to a manufacturing defect in workmanship or material within 5 years from the date of purchase (proof of purchase required) or 6 years from the date of manufacture (without proof of purchase). The Platinum Pack Limited Warranty is subject to the following conditions:

- **The free tire replacement period** extends up to (a) 3 years from the date of purchase—proof of purchase date required or (b) 4 years from the date of tire manufacture without proof of purchase date. During this period, the tire will be replaced free of charge (including mounting and balancing). You may be charged applicable taxes, the cost of valve stems, and disposal fees.
- **Weather/ozone cracking is NOT** covered under the “Free tire replacement period” in the Platinum Pact Limited Warranty. Weather/ozone cracking is covered only as a prorated charge.
- **After the free tire replacement period**, noted above, coverage extends up to (a) 5 years from the date of purchase—proof of purchase date required or (b) 6 years from the date of tire manufacture without proof of purchase date. During this period, the tire will be replaced

but there will be a prorated charge. To determine the replacement price, the percent worn, based on used tread wear, is multiplied by the net-discounted price paid by the COSTCO member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.

- **Rapid tread wear or wear-out** is not covered under the Bridgestone Platinum Pact. See the Limited Mileage Warranty section of this manual.
- **The tire must not be worn to 1.6 mm (2/32 inch)** or less remaining original tread depth (i.e. worn down to the top of the built-in indicators in the tread grooves).
- **Exclusions apply**—as identified in the section “What This Limited Warranty Does Not Cover.”

Winter and “Temporary Use” Spare Tires

An eligible Bridgestone brand winter or “temporary use” spare tire will be replaced with an equivalent new Bridgestone, Firestone, or associated Bridgestone brand tire at Bridgestone’s discretion for a prorated purchase price if the tire becomes unfit for the use for which it was designed due to a manufacturing defect in workmanship or material under the following conditions:

- **There is no free replacement period**
- **Coverage** extends up to 5 years from the date of purchase—proof of purchase date required. Without proof of purchase date, then 6 years from the date of tire manufacture. During this period, the tire will be replaced for a prorated amount. To determine the replacement price, the percent worn, based on used tread wear, is multiplied by the net-discounted price paid by the COSTCO member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.
- **Rapid tread wear or wear-out.** Winter and “temporary use” spare tires have no mileage warranty.
- **The tire must not be worn to 1.6 mm (2/32 inch)** or less remaining original tread depth (i.e. worn down to the top of the built-in indicators in the tread grooves).
- **Exclusions apply**—as identified in the section “What This Limited Warranty Does Not Cover.”

90 Day Buy & Try Guarantee

Most Bridgestone brand passenger and light truck tires, sold in sets of 4 or more tires through a DEALER, are covered by the 90 Day Buy & Try Guarantee. The following tire lines are **NOT** eligible for the 90 Day Buy & Try Guarantee:

Run-Flat Technology Tires (RFT) including Self-Supporting Tires (SST) and Extended Mobility Tires (EMT). Note that the DriveGuard, DriveGuard Plus, Potenza RE960AS RFT and

Turanza EL400 RFT patterns **ARE** covered by the 90 Day Buy & Try Guarantee.

Potenza RE-11, Potenza RE-11A, Potenza RE-11R, Potenza RE71R, Potenza RE-71RS, Potenza Race

Pursuit tires

Tires installed as original equipment tires on new vehicles

Winter tires or “temporary use” spare tires

Tires in commercial truck tire sizes (17.5-inch, 19.5-inch, 22.5-inch, or 24.5-inch rim diameter)

Tires in flotation tire sizes

If a retail customer is not completely satisfied with their eligible Bridgestone brand tires, the tires can be returned to the location where they were originally purchased within 90 days of purchase to exchange for a credit towards a new set of Bridgestone or Firestone brand tires. Original proof of purchase is required. If the exchange for the new set of tires is a higher cost, you must pay the difference from original purchase price. If the exchange for the new set of tires is at a lower cost, you will receive a refund of the difference in cost.

The 90 Day Buy & Try Guarantee applies only to full sets of tires (4 or more tires purchased together); return of less than a full set of tires will not be accepted. Bridgestone brand tires applied as original equipment on new vehicles are not covered by the 90 Day Buy & Try Guarantee.

Additional exclusions apply, as identified in the section

“What This Limited Warranty Does Not Cover”: including, but not limited to, tires worn beyond 1.6 mm (2/32 inch) of tread wear use, or tires damaged due to road hazards, misapplication or abuse. The 90 Day Buy & Try is limited to one set of tires per vehicle within any 12-month period.

FIRESTONE BRAND LIMITED WARRANTY

Gold Pledge Limited Warranty

The Gold Pledge Limited Warranty covers all eligible Firestone brand passenger and light truck tires—except winter, and “temporary use” spare tires. A tire covered by the Gold Pledge Limited Warranty will be replaced with an equivalent new Bridgestone, Firestone, or Associated Bridgestone brand tire at Bridgestone’s discretion, either free of charge or for a prorated amount, if the tire becomes unfit for the use for which it was designed due to a manufacturing defect in workmanship or material within 5 years from the date of purchase (proof of purchase required) or 6 years from the date of manufacture (without proof of purchase). The Gold Pledge Limited Warranty is subject to the following conditions:

- **The free tire replacement period** extends up to (a) 3 years from the date of purchase—proof of purchase date required or (b) 4 years from the date of tire manufacture

without proof of purchase date. During this period, the tire will be replaced free of charge (including mounting and balancing). You may be charged applicable taxes, the cost of valve stems, and disposal fees.

- **Weather/ozone cracking is NOT** covered under the “Free tire replacement period” in the Gold Pledge Limited Warranty. Weather/ozone cracking is covered only as a prorated charge.
- **After the free tire replacement period**, noted above, coverage extends up to (a) 5 years from the date of purchase—proof of purchase date required or (b) 6 years from the date of tire manufacture without proof of purchase date. During this period, the tire will be replaced but there will be a prorated charge. To determine the replacement price, the percent worn, based on used tread wear, is multiplied by the net-discounted price paid by the COSTCO member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.
- **Rapid tread wear or wear-out** is not covered under the Bridgestone Platinum Pact, Firestone Gold Pledge, or Basic Limited Warranty. See the Limited Mileage Warranty section of this manual.

Winter and “Temporary Use” Spare Tires

An eligible Firestone brand winter or “temporary use” spare tire will be replaced with an equivalent new Bridgestone, Firestone, or associated Bridgestone brand tire at Bridgestone’s discretion for a prorated purchase price if the tire becomes unfit for the use for which it was designed due to a manufacturing defect in workmanship or material under the following conditions:

- **There is no free replacement period.**
- **Coverage** extends up to 5 years from the date of purchase—proof of purchase date required. Without proof of purchase date, then 6 years from the date of tire manufacture. During this period, the tire will be replaced for a prorated amount. To determine the replacement price, the percent worn, based on used tread wear, is multiplied by the net-discounted price paid by the COSTCO member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.
- **Rapid tread wear or wear-out.** Winter and “temporary use” spare tires have no mileage warranty.
- **The tire must not be worn to 1.6 mm (2/32 inch)** or less remaining original tread depth (i.e. worn down to the top of the built-in indicators in the tread grooves).
- **Exclusions apply**—as identified in the section “What This Limited Warranty Does Not Cover.”

90 Day Buy & Try Guarantee

Most Firestone brand passenger and light truck tires, sold in sets of 4 or more tires through a DEALER, are covered by the 90 Day Buy & Try Guarantee. The following tire lines are **NOT** eligible for the 90 Day Buy & Try Guarantee:

Run-Flat Technology Tires (RFT) including Self-Supporting Tires (SST) and Extended Mobility Tires (EMT).

Pursuit tires

Tires installed as original equipment tires on new vehicles

Winter tires or “temporary use” spare tires

Tires in commercial truck tire sizes (17.5-inch, 19.5-inch, 22.5-inch, or 24.5-inch rim diameter)

Tires in flotation tire sizes

If a retail customer is not completely satisfied with their eligible Firestone brand tires, the tires can be returned to the location where they were originally purchased within 90 days of purchase to exchange for a credit towards a new set of Bridgestone or Firestone brand tires. Original proof of purchase is required. If the exchange for the new set of tires is a higher cost, you must pay the difference from original purchase price. If the exchange for the new set of tires is at a lower cost, you will receive a refund of the difference in cost.

The 90 Day Buy & Try Guarantee applies only to full sets of tires (4 or more tires purchased together); return of less than a full set of tires will not be accepted. Firestone brand tires applied as original equipment on new vehicles are not covered by the 90 Day Buy & Try Guarantee.

Additional exclusions apply, as identified in the section

“What This Limited Warranty Does Not Cover”: including, but not limited to, tires worn beyond 1.6 mm (2/32 inch) of tread wear use, or tires damaged due to road hazards, misapplication or abuse. The 90 Day Buy & Try is limited to one set of tires per vehicle within any 12-month period.

LIMITED MILEAGE WARRANTY (Bridgestone / Firestone Brand)

If an eligible tire covered by the Limited Mileage Warranty wears evenly across the tread down to the tread wear indicators—1.6 mm (2/32 inch)—during its stated warranted mileage (as evidenced by the vehicle’s odometer) and within the applicable coverage period, the tire will be replaced with an equivalent new Bridgestone, Firestone, or Associated Bridgestone Brands tire at Bridgestone’s discretion for a prorated purchase price under the following conditions:

- **There is no free replacement period.**
- Only the passenger and light truck tires listed in this section are covered by the Limited Mileage Warranty for the mileage shown.

- The tire was used and maintained in accordance with all the terms contained within this manual and/or the accompanying Tire Maintenance and Safety manual available at www.bridgestonetire.ca/customer-care/tire-warranties..
- In addition to the requirements of this section, the eligibility requirements in the section “What is an Eligible Tire” must be met for the tire to be eligible under the Limited Mileage Warranty.
- Coverage applies only to the original purchaser, and only as long as the tires remain mounted on the vehicle described in the Customer, Vehicle, and Tire Identification Section of this manual.
- Coverage extends up to 5 years from the date of purchase—proof of purchase date required. During this period, the tire will be replaced for a prorated amount. Without proof of purchase date, then 6 years from the date of tire manufacture.
- To determine the replacement price, the percent of warranted mileage, based on used tread wear, is multiplied by the net-discounted price paid by the COSTCO member for the original tire(s) being replaced. The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply.
- Tires used in commercial service have no mileage warranty.
- **Original equipment tires on new vehicles have no mileage warranty. (See separate warranty, if applicable, in your vehicle’s glove box.) Tires sold as exact original equipment replacements may have a mileage warranty. See the Limited Mileage Warranty section of this manual for details.**
- Exclusions apply—as identified in the section “What This Limited Warranty Does Not Cover.”
- Even tread wear is defined as having no more than 1.6 mm (2/32 inch) difference in remaining tread depth between any two major tread grooves across the tire.
- For tires used on staggered fitments, which are vehicles with different size tires between the front and rear axles, the non-drive tires (typically the front tires) will have the full limited mileage warranty (if available) and the drive tires (typically the rear tires) will have one-half of the stated full limited mileage warranty (if available).
- Tires with more than 3.2 mm (4/32 inch) remaining tread depth will not be accepted for Limited Mileage Warranty.

CALCULATING THE PERCENT OF WARRANTED MILEAGE

Tires with 1.6 mm (2/32 inch) remaining tread depth:

A tire worn to 1.6 mm (2/32 inch) will use the following

procedure to calculate the percent of warranted mileage:

- 1. Calculate Total kms.** Total kms = Odometer indicated km at time of removal – Odometer indicated km when tires installed.
- 2. Calculate Percentage Warranted kms.** Percentage Warranted kms = Total kms/Warranted km (from tables in this manual).
- 3. Calculate Replacement Price.** Replacement Price = Percentage Warranted kms x DEALER’S current sell price.
NOTE: This represents the price the DEALER will charge to replace the tire (The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply).

Example: Odometer indicated km at time of removal = 210,000 km. Odometer indicated km when tires installed = 137,000 km. DEALER sells the tire for \$100. Tires installed are Bridgestone Ecopia 422.

1. Total kms = 210,000 km – 137,000 km = 73,000 km
2. Percentage Warranted kms = 73,000 km / 110,000 km = 0.66 or 66%.
3. Replacement Price = \$100 x 0.66 = \$66.

Tires with 2.4 mm (3/32 inch) remaining tread depth:

A tire worn to 2.4 mm (3/32 inch) will use the following procedure to calculate the percent of warranted mileage:

- 1. Calculate Total kms.** Total kms = Odometer indicated km at time of removal – Odometer indicated km when tires installed.
- 2. Calculate km per 32nd.** km per 32nd = Total km / (Original Tread Depth – Remaining Tread Depth).
- 3. Calculate Projected km.** Projected km = Total km + km per 32nd.
- 4. Calculate Percentage Warranted kms.** Percentage Warranted km = Projected km / Warranted km (from tables in this manual).
- 5. Calculate Replacement Price.** Replacement Price = Percentage Warranted km x DEALER’S current sell price.
NOTE: This represents the price the DEALER will charge to replace the tire (The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply).

Example: Odometer indicated km at time of removal = 210,000 km. Odometer indicated km when tires installed = 137,000 km. DEALER sells tire for \$100. Tires installed are Bridgestone Ecopia 422.

1. Total kms = 210,000 km – 137,000 km = 73,000 km
2. km per 32nd = 73,000 km / (10/32-3/32) = 10,428 km.

- Projected km = 73,000 km + 10,428 km = 83,428 km.
- Percentage Warranted km = 83,428 km / 110,000 km = 0.76 or 76%.
- Replacement Price = \$100 x 0.76 = \$76.

Tires with 3.2 mm (4/32 inch) remaining tread depth:

A tire worn to 3.2 mm (4/32 inch) will use the following procedure to calculate the percent of warranted mileage:

- Calculate Total km.** Total km = Odometer indicated km at time of removal – Odometer indicated km when tires installed.
- Calculate km per 32nd.** km per 32nd = Total km / (Original Tread Depth – Remaining Tread Depth).
- Calculate Projected km.** Projected km = Total kms + (2 x km per 32nd).
- Calculate Percentage Warranted kms.** Percentage Warranted kms = Projected km / Warranted km (from tables in this manual).
- Calculate Replacement Price.** Replacement Price = Percentage Warranted kms x DEALER'S current sell price.
NOTE: This represents the price the DEALER will charge to replace the tire (The appropriate taxes, mounting, balancing, the cost of valve stems, disposal fees, and other service charges may still apply).

Example: Odometer indicated km at time of removal = 210,000 km. Odometer indicated km when tires installed = 137,000 km. DEALER sells tire for \$100. Tires installed are Bridgestone Ecopia 422.

- Total kms = 210,000 km – 137,000 km = 73,000 km
- km per 32nd = 73,000 km / (10/32-4/32) = 12,166 km.
- Projected km = 73,000 km + (2 x 12,166 km) = 97,333 km.
- Percentage Warranted kms = 97,333 km / 110,000 km = 0.88 or 88%.
- Replacement Price = \$100 x 0.88 = \$88.

COVERED TIRES AND WARRANTED MILEAGE FOR LIMITED MILEAGE WARRANTY:

BRIDGESTONE BRAND

The following tables contain the warranted mileage, if any, for Bridgestone brand tires sold as replacement tires. Tires sold as original equipment on new vehicles or their exact original equipment replacements do not have any warranted mileage unless explicitly shown in the following tables.

Alenza A/S 02

0 km (Zero) – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------|------------|-----------|-------|---------|
| Alenza A/S 02 | 9160 | 225/65R17 | H | 105,000 |
| Alenza A/S 02 | 9159 | 255/65R18 | T | 105,000 |
| Alenza A/S 02 | 8922 | 275/50R22 | H | 105,000 |
| Alenza A/S 02 | 7157 | 275/50R22 | T | 105,000 |
| Alenza A/S 02 | 5510 | 275/60R20 | S | 105,000 |
| Alenza A/S 02 | 12268 | 275/60R20 | S | 90,000 |

Alenza A/S 02 RFT

0 km (Zero) – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------|------------|-----------|-------|--------|
| Alenza A/S 02 RFT | 12165 | 235/60R18 | H | 65,000 |
| Alenza A/S 02 RFT | 12166 | 235/50R20 | V | 65,000 |

Alenza A/S Ultra

130,000 km – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Alenza Sport A/S

0 km (Zero) – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|------------------|------------|-----------|-------|--------|
| Alenza Sport A/S | 8494 | 235/50R21 | V | 65,000 |
| Alenza Sport A/S | 14875 | 235/50R21 | V | 65,000 |
| Alenza Sport A/S | 9619 | 235/55R19 | V | 65,000 |
| Alenza Sport A/S | 12429 | 235/55R19 | V | 65,000 |
| Alenza Sport A/S | 3618 | 235/55R20 | V | 65,000 |
| Alenza Sport A/S | 12427 | 235/60R18 | H | 65,000 |
| Alenza Sport A/S | 14874 | 235/60R19 | V | 65,000 |
| Alenza Sport A/S | 9618 | 235/65R17 | H | 65,000 |
| Alenza Sport A/S | 3211 | 235/65R18 | V | 65,000 |
| Alenza Sport A/S | 15057 | 255/45R22 | W | 65,000 |
| Alenza Sport A/S | 4433 | 255/50R20 | H | 65,000 |
| Alenza Sport A/S | 9620 | 255/50R20 | H | 65,000 |
| Alenza Sport A/S | 15056 | 255/50R20 | V | 65,000 |
| Alenza Sport A/S | 9022 | 255/55R19 | H | 65,000 |
| Alenza Sport A/S | 12441 | 265/45R21 | T | 65,000 |
| Alenza Sport A/S | 4023 | 285/45R21 | H | 65,000 |

Alenza Sport A/S MOE

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------------|------------|-----------|-------|--------|
| Alenza Sport A/S MOE | 8604 | 255/50R19 | H | 65,000 |
| Alenza Sport A/S MOE | 8605 | 275/50R20 | H | 65,000 |
| Alenza Sport A/S MOE | 8606 | 275/55R19 | H | 65,000 |

Alenza Sport A/S RFT

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------------|------------|-----------|-------|----------|
| Alenza Sport A/S RFT | 4025 | 265/50R19 | H | 65,000 |
| Alenza Sport A/S RFT | 4027 | 275/45R20 | H | 65,000 |
| Alenza Sport A/S RFT | 4029 | 275/50R20 | H | 0 (Zero) |
| Alenza Sport A/S RFT | 4031 | 285/45R21 | H | 65,000 |

Alenza Sport A/S SP

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------------|------------|-----------|-------|--------|
| Alenza Sport A/S SP | 15424 | 255/45R20 | V | 65,000 |
| Alenza Sport A/S SP | 13860 | 235/55R19 | V | 65,000 |
| Alenza Sport A/S SP | 13861 | 255/45R20 | V | 80,000 |

DriveGuard (T, H, and V Speed Rating)

100,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

DriveGuard (W Speed Rating)

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

DriveGuard Plus

105,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Dueler A/T Revo 2

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------|------------|----------------------|----------|----------|
| Dueler A/T Revo 2 | Multiple | All LT and Flotation | Multiple | 0 (Zero) |
| Dueler A/T Revo 2 | 81405 | P245/75R16 | T | 80,000 |

Dueler A/T Revo 3

100,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------|------------|----------------------|----------|---------|
| Dueler A/T Revo 3 | Multiple | All LT and Flotation | Multiple | 80,000 |
| Dueler A/T Revo 3 | 12259 | P265/65R18 | T | 100,000 |
| Dueler A/T Revo 3 | 50 | P265/65R18 | T | 100,000 |

Dueler A/T RH-S

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-----------------|------------|-------------|-------|--------|
| Dueler A/T RH-S | 3349 | 245/75R17 | T | 65,000 |
| Dueler A/T RH-S | 7159 | 255/65R17 | T | 65,000 |
| Dueler A/T RH-S | 865 | 255/70R18 | T | 65,000 |
| Dueler A/T RH-S | 9901 | 255/70R18 | T | 65,000 |
| Dueler A/T RH-S | 9899 | 255/75R17 | T | 65,000 |
| Dueler A/T RH-S | 5493 | 275/60R20 | S | 65,000 |
| Dueler A/T RH-S | 12449 | LT275/70R18 | R | 65,000 |
| Dueler A/T RH-S | 12451 | LT275/65R20 | R | 65,000 |
| Dueler A/T RH-S | 2993 | P265/70R17 | S | 65,000 |

Dueler H/L 400

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------|------------|------------|-------|--------|
| Dueler H/L 400 | 9161 | 265/50R20 | T | 80,000 |
| Dueler H/L 400 | 632 | P225/55R18 | H | 65,000 |
| Dueler H/L 400 | 118312 | P265/45R21 | V | 65,000 |

Dueler H/L Alenza

105,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------|------------|------------|-------|---------|
| Dueler H/L Alenza | 133986 | 275/55R20 | H | 105,000 |
| Dueler H/L Alenza | 98490 | 255/55R18 | W | 65,000 |
| Dueler H/L Alenza | 98745 | 275/40R20 | W | 65,000 |
| Dueler H/L Alenza | 12113 | 275/55R20 | H | 65,000 |
| Dueler H/L Alenza | 863 | 275/55R20 | T | 65,000 |
| Dueler H/L Alenza | 862 | 275/55R20 | T | 65,000 |
| Dueler H/L Alenza | 96212 | 305/40R22 | W | 65,000 |
| Dueler H/L Alenza | 7156 | P255/55R20 | H | 105,000 |
| Dueler H/L Alenza | 127390 | P255/55R20 | H | 105,000 |
| Dueler H/L Alenza | 238 | P275/55R20 | S | 105,000 |
| Dueler H/L Alenza | 58574 | P275/55R20 | H | 105,000 |
| Dueler H/L Alenza | 53967 | P275/55R20 | S | 105,000 |

| | | | | |
|--------------------|-------|------------|---|----------|
| Dueller H/L Alenza | 42798 | P275/60R20 | H | 105,000 |
| Dueller H/L Alenza | 53984 | P285/45R22 | H | 105,000 |
| Dueller H/L Alenza | 23716 | P285/45R22 | H | 105,000 |
| Dueller H/L Alenza | 238 | P275/55R20 | S | 105,000 |
| Dueller H/L Alenza | 3491 | 255/65R18 | T | 0 (Zero) |
| Dueller H/L Alenza | 3012 | P275/65R20 | H | 0 (Zero) |

Dueller H/L Alenza Plus

130,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------------|------------|------------|-------|---------|
| Dueller H/L Alenza Plus | 4083 | P235/50R19 | H | 130,000 |
| Dueller H/L Alenza Plus | 438 | P245/70R17 | T | 130,000 |
| Dueller H/L Alenza Plus | 459 | 255/50R19 | W | 90,000 |
| Dueller H/L Alenza Plus | 3859 | 255/55R18 | W | 90,000 |
| Dueller H/L Alenza Plus | 5402 | 275/45R21 | W | 90,000 |

Dueller H/L 422 Ecopia

105,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|------------------------|------------|------------|-------|----------|
| Dueller H/L 422 Ecopia | 6509 | 245/55R19 | T | 110,000 |
| Dueller H/L 422 Ecopia | 23529 | P245/55R19 | T | 0 (Zero) |
| Dueller H/L 422 Ecopia | 579 | P245/60R18 | T | 0 (Zero) |
| Dueller H/L 422 Ecopia | 6508 | P245/60R18 | T | 80,000 |

Dueller H/P 92A

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-----------------|------------|------------|-------|--------|
| Dueller H/P 92A | 126812 | P265/50R20 | V | 65,000 |
| Dueller H/P 92A | 127356 | P265/60R18 | V | 65,000 |

Dueller H/P Sport AS

65,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------------|------------|-----------|-------|----------|
| Dueller H/P Sport AS | 12421 | 225/60R18 | H | 65,000 |
| Dueller H/P Sport AS | 235 | 225/60R18 | H | 65,000 |
| Dueller H/P Sport AS | 234 | 225/65R17 | H | 65,000 |
| Dueller H/P Sport AS | 142367 | 225/65R17 | T | 65,000 |
| Dueller H/P Sport AS | 4440 | 235/55R20 | H | 65,000 |
| Dueller H/P Sport AS | 749 | 235/55R20 | H | 65,000 |
| Dueller H/P Sport AS | 13456 | 235/60R18 | W | 0 (Zero) |
| Dueller H/P Sport AS | 4747 | 245/50R19 | H | 65,000 |
| Dueller H/P Sport AS | 200 | 245/60R18 | H | 65,000 |
| Dueller H/P Sport AS | 3500 | 245/60R18 | H | 0 (Zero) |

| | | | | |
|----------------------|------|-----------|---|--------|
| Dueller H/P Sport AS | 1461 | 245/60R18 | V | 65,000 |
|----------------------|------|-----------|---|--------|

Dueller H/P Sport AS RFT

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|--------------------------|------------|-----------|-------|--------|
| Dueller H/P Sport AS RFT | 4743 | 225/60R18 | H | 65,000 |
| Dueller H/P Sport AS RFT | 4748 | 245/50R19 | H | 65,000 |

Dueller H/T (D684II)

100,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------------|------------|------------|-------|----------|
| Dueller H/T (D684II) | 106216 | P215/70R16 | S | 100,000 |
| Dueller H/T (D684II) | 58438 | P235/60R18 | H | 100,000 |
| Dueller H/T (D684II) | 106267 | P235/65R16 | S | 100,000 |
| Dueller H/T (D684II) | 60954 | P235/65R16 | S | 100,000 |
| Dueller H/T (D684II) | 2959 | P255/70R17 | S | 80,000 |
| Dueller H/T (D684II) | 4639 | P255/70R17 | S | 0 (Zero) |
| Dueller H/T (D684II) | 55106 | P255/70R18 | T | 100,000 |
| Dueller H/T (D684II) | 4945 | P255/70R18 | T | 80,000 |
| Dueller H/T (D684II) | 30456 | P265/65R17 | S | 100,000 |
| Dueller H/T (D684II) | 149779 | P275/60R20 | H | 100,000 |
| Dueller H/T (D684II) | 43614 | P265/65R18 | S | 100,000 |
| Dueller H/T (D684II) | 126591 | P275/65R18 | T | 100,000 |
| Dueller H/T (D684II) | 55089 | P275/65R18 | T | 100,000 |

Dueller H/T 685

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-----------------|------------|------------|-------|----------|
| Dueller H/T 685 | 3348 | 245/75R17 | T | 80,000 |
| Dueller H/T 685 | 7160 | 255/65R17 | T | 80,000 |
| Dueller H/T 685 | 11786 | 255/70R16 | T | 80,000 |
| Dueller H/T 685 | 3492 | 255/70R18 | T | 80,000 |
| Dueller H/T 685 | 3217 | 265/50R22 | H | 80,000 |
| Dueller H/T 685 | 7167 | 265/60R18 | T | 80,000 |
| Dueller H/T 685 | 7168 | 255/70R16 | T | 0 (Zero) |
| Dueller H/T 685 | 3216 | 265/60R20 | H | 80,000 |
| Dueller H/T 685 | 3215 | 265/70R18 | T | 80,000 |
| Dueller H/T 685 | 3794 | 275/65R18 | T | 80,000 |
| Dueller H/T 685 | 12701 | 275/65R18 | T | 80,000 |
| Dueller H/T 685 | 3485 | P255/70R17 | S | 0 (Zero) |

Dueler H/T 689

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------|------------|------------|-------|---------|
| Dueler H/T 689 | 32020 | 265/70R16 | S | 100,000 |
| Dueler H/T 689 | 57826 | P215/65R16 | H | 100,000 |
| Dueler H/T 689 | 92827 | P245/65R17 | S | 100,000 |
| Dueler H/T 689 | 621 | P245/70R16 | S | 100,000 |
| Dueler H/T 689 | 76546 | P245/70R16 | S | 100,000 |
| Dueler H/T 689 | 76554 | P255/65R16 | S | 100,000 |
| Dueler H/T 689 | 77690 | P255/70R16 | S | 100,000 |
| Dueler H/T 689 | 92061 | P255/70R16 | S | 100,000 |

Dueler H/T 840

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------|------------|------------|-------|--------|
| Dueler H/T 840 | 72599 | P265/60R18 | H | 80,000 |

Ecopia EP422

105,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|--------------|------------|------------|-------|----------|
| Ecopia EP422 | 24957 | P185/65R15 | H | 80,000 |
| Ecopia EP422 | 3346 | 215/55R17 | H | 0 (Zero) |
| Ecopia EP422 | 214 | 215/55R17 | H | 0 (Zero) |
| Ecopia EP422 | 215 | 235/45R18 | V | 0 (Zero) |
| Ecopia EP422 | 3347 | 235/45R18 | V | 0 (Zero) |
| Ecopia EP422 | 24583 | P185/60R15 | T | 0 (Zero) |
| Ecopia EP422 | 24974 | P195/55R16 | V | 0 (Zero) |
| Ecopia EP422 | 4285 | P205/55R16 | H | 0 (Zero) |
| Ecopia EP422 | 8678 | P205/55R16 | H | 0 (Zero) |
| Ecopia EP422 | 21625 | P205/55R16 | H | 0 (Zero) |
| Ecopia EP422 | 1490 | P225/65R17 | T | 0 (Zero) |

Ecopia EP422 Plus

110,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------|------------|------------|-------|----------|
| Ecopia EP422 Plus | 1667 | 195/65R15 | H | 80,000 |
| Ecopia EP422 Plus | 3193 | 195/65R15 | H | 80,000 |
| Ecopia EP422 Plus | 7237 | 205/55R17 | H | 110,000 |
| Ecopia EP422 Plus | 7223 | 205/60R16 | H | 110,000 |
| Ecopia EP422 Plus | 219 | 215/55R17 | V | 110,000 |
| Ecopia EP422 Plus | 9110 | 215/55R17 | V | 110,000 |
| Ecopia EP422 Plus | 1863 | P205/60R16 | H | 110,000 |
| Ecopia EP422 Plus | 7224 | 225/45R18 | H | 0 (Zero) |

Ecopia H/L 422 Plus

110,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------------|------------|------------|-------|----------|
| Ecopia H/L 422 Plus | 11878 | 215/65R17 | H | 65,000 |
| Ecopia H/L 422 Plus | 7236 | 215/65R17 | H | 110,000 |
| Ecopia H/L 422 Plus | 4492 | 225/55R19 | H | 80,000 |
| Ecopia H/L 422 Plus | 7151 | 225/55R19 | H | 80,000 |
| Ecopia H/L 422 Plus | 12482 | 225/55R19 | V | 110,000 |
| Ecopia H/L 422 Plus | 9534 | 225/60R17 | H | 0 (Zero) |
| Ecopia H/L 422 Plus | 3259 | 225/65R17 | H | 0 (Zero) |
| Ecopia H/L 422 Plus | 985 | 225/65R17 | H | 80,000 |
| Ecopia H/L 422 Plus | 1208 | 235/55R18 | H | 110,000 |
| Ecopia H/L 422 Plus | 7235 | 235/55R18 | H | 110,000 |
| Ecopia H/L 422 Plus | 11879 | 235/55R18 | H | 110,000 |
| Ecopia H/L 422 Plus | 227 | 235/55R20 | V | 110,000 |
| Ecopia H/L 422 Plus | 888 | 235/65R17 | H | 110,000 |
| Ecopia H/L 422 Plus | 889 | 235/60R18 | H | 80,000 |
| Ecopia H/L 422 Plus | 4620 | 235/65R18 | V | 110,000 |
| Ecopia H/L 422 Plus | 13621 | 255/45R20 | W | 80,000 |
| Ecopia H/L 422 Plus | 864 | 265/50R20 | T | 110,000 |
| Ecopia H/L 422 Plus | 9139 | P225/55R18 | H | 80,000 |
| Ecopia H/L 422 Plus | 13620 | P255/45R20 | W | 80,000 |
| Ecopia H/L 422 Plus | 8789 | P255/50R20 | V | 65,000 |

Ecopia H/L 422 Plus SP

0 km (Zero) – Exceptions and Exact OE Equipment Rep
placements are noted below:

| Description | Article No | Size | Speed | km |
|------------------------|------------|-----------|-------|--------|
| Ecopia H/L 422 Plus SP | 11819 | 225/45R19 | W | 80,000 |

Ecopia H/L 422 Plus RFT

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------------------|------------|-------------|-------|--------|
| Ecopia H/L 422 Plus RFT | 8814 | P235/55RF19 | V | 80,000 |
| Ecopia H/L 422 Plus RFT | 7216 | P235/55RF19 | V | 80,000 |
| Ecopia H/L 422 Plus SP RFT | 7219 | P255/45RF20 | V | 80,000 |
| Ecopia H/L 422 Plus RFT | 8815 | P255/45RF20 | V | 80,000 |

Potenza RE92

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|--------------|------------|------------|-------|--------|
| Potenza RE92 | 119474 | P165/65R13 | S | 65,000 |
| Potenza RE92 | 87939 | P165/65R14 | S | 65,000 |

| | | | | |
|--------------|--------|------------|---|--------|
| Potenza RE92 | 77257 | P175/65R14 | S | 65,000 |
| Potenza RE92 | 85022 | P175/65R14 | S | 65,000 |
| Potenza RE92 | 119261 | P185/60R14 | H | 65,000 |
| Potenza RE92 | 77274 | P185/60R15 | T | 65,000 |
| Potenza RE92 | 119318 | P185/65R14 | S | 65,000 |
| Potenza RE92 | 17706 | P195/60R15 | H | 65,000 |
| Potenza RE92 | 72419 | P195/60R15 | H | 65,000 |
| Potenza RE92 | 74764 | P205/60R15 | H | 65,000 |
| Potenza RE92 | 57010 | P205/60R15 | H | 65,000 |
| Potenza RE92 | 96849 | P205/65R15 | T | 65,000 |
| Potenza RE92 | 108278 | P225/60R16 | H | 65,000 |
| Potenza RE92 | 100595 | P225/60R16 | H | 65,000 |

Potenza RE97AS (V and H Speed Rated)

90,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------|------------|------------|-------|----------|
| Potenza RE97AS | 3195 | 225/40R18 | H | 90,000 |
| Potenza RE97AS | 13856 | 225/50R18 | H | 90,000 |
| Potenza RE97AS | 24889 | 235/45R18 | H | 65,000 |
| Potenza RE97AS | 894 | 235/45R18 | V | 90,000 |
| Potenza RE97AS | 3995 | 235/50R18 | W | 0 (Zero) |
| Potenza RE97AS | 168 | 245/40R20 | H | 0 (Zero) |
| Potenza RE97AS | 3829 | P245/40R20 | V | 0 (Zero) |
| Potenza RE97AS | 143608 | P245/40R20 | V | 0 (Zero) |
| Potenza RE97AS | 4640 | P245/40R20 | V | 90,000 |
| Potenza RE97AS | 5839 | P245/40R20 | V | 65,000 |
| Potenza RE97AS | 8999 | P255/35R20 | V | 0 (Zero) |
| Potenza RE97AS | 425 | 245/40R20 | V | 65,000 |

Potenza RE97AS (W Speed Rated)

70,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------|------------|-----------|-------|----------|
| Potenza RE97AS | 11323 | 225/45R18 | W | 70,000 |
| Potenza RE97AS | 3995 | 235/50R18 | W | 0 (Zero) |

Potenza RE97AS SP

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------|------------|------------|-------|--------|
| Potenza RE97AS SP | 9990 | P255/35R20 | V | 65,000 |

Potenza RE97AS RFT

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|--------------------|------------|-------------|-------|--------|
| Potenza RE97AS RFT | 8833 | P225/50RF18 | V | 65,000 |

Potenza RE97AS RFT SP

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-----------------------|------------|-------------|-------|--------|
| Potenza RE97AS RFT SP | 11882 | P225/50RF18 | V | 65,000 |

Potenza RE97AS - 02

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------------|------------|-----------|-------|--------|
| Potenza RE97AS - 02 | 8863 | 225/45R18 | V | 65,000 |

Potenza RE970AS Pole Position

65,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------------------|------------|-----------|-------|--------|
| Potenza RE970AS Pole Position | 105001 | 225/40R18 | W | 65,000 |
| Potenza RE970AS Pole Position | 123463 | 225/40R19 | W | 65,000 |
| Potenza RE970AS Pole Position | 105086 | 235/45R17 | W | 65,000 |
| Potenza RE970AS Pole Position | 105069 | 245/45R17 | W | 65,000 |
| Potenza RE970AS Pole Position | 123701 | 255/35R18 | W | 65,000 |
| Potenza RE970AS Pole Position | 123718 | 255/35R19 | W | 65,000 |
| Potenza RE970AS Pole Position | 123429 | 255/40R19 | W | 65,000 |
| Potenza RE970AS Pole Position | 123599 | 275/35R20 | W | 65,000 |
| Potenza RE970AS Pole Position | 104508 | 295/30R19 | W | 65,000 |

Potenza RE980AS

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Potenza RE980AS+

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Potenza Sport AS

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Turanza EL400

130,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------|------------|------------|-------|----------|
| TURANZA EL400 | 43291 | 195/65R15 | H | 80,000 |
| TURANZA EL400 | 43342 | 215/55R16 | H | 80,000 |
| TURANZA EL400 | 43240 | P195/60R15 | H | 80,000 |
| TURANZA EL400 | 43359 | P205/60R16 | H | 80,000 |
| TURANZA EL400 | 43223 | P205/65R15 | H | 80,000 |
| TURANZA EL400 | 124347 | P225/55R18 | H | 80,000 |
| TURANZA EL400 | 68434 | P225/60R18 | H | 80,000 |
| TURANZA EL400 | 42832 | 175/70R13 | T | 0 (Zero) |
| TURANZA EL400 | 42849 | 185/70R14 | T | 0 (Zero) |
| TURANZA EL400 | 43376 | 205/55R16 | H | 0 (Zero) |
| TURANZA EL400 | 42917 | P175/65R14 | T | 0 (Zero) |
| TURANZA EL400 | 42934 | P185/65R14 | T | 0 (Zero) |

Turanza EL400 RFT

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------|------------|-------------|-------|--------|
| TURANZA EL400 RFT | 125231 | P225/60RF17 | T | 65,000 |

Turanza EL400 - 02

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|------------------|------------|-----------|-------|--------|
| TURANZA EL400-02 | 132677 | 225/40R18 | W | 65,000 |
| TURANZA EL400-02 | 24804 | 235/40R19 | V | 65,000 |
| TURANZA EL400-02 | 1453 | 255/35R18 | W | 65,000 |

Turanza EL400 – 02 RFT

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------------|------------|------------|-------|--------|
| TURANZA EL400-02 RFT | 4434 | 235/55RF18 | T | 65,000 |

Turanza EL42

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|--------------|------------|------------|-------|--------|
| TURANZA EL42 | 7906 | P245/45R19 | V | 65,000 |

Turanza EL440

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------|------------|-----------|-------|--------|
| TURANZA EL440 | 11423 | 215/45R18 | V | 80,000 |
| TURANZA EL440 | 11757 | 215/55R18 | H | 80,000 |
| TURANZA EL440 | 13815 | 215/55R18 | H | 80,000 |
| TURANZA EL440 | 11756 | 215/65R16 | H | 80,000 |
| TURANZA EL440 | 221 | 235/40R19 | V | 80,000 |
| TURANZA EL440 | 220 | 235/45R18 | V | 80,000 |
| TURANZA EL440 | 4590 | 235/50R18 | V | 80,000 |
| TURANZA EL440 | 2359 | 235/55R19 | H | 80,000 |
| TURANZA EL440 | 216 | 235/60R18 | H | 80,000 |
| TURANZA EL440 | 2358 | 235/60R18 | H | 80,000 |
| TURANZA EL440 | 4244 | 255/40R19 | W | 80,000 |

Turanza EL450

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------|------------|-----------|-------|--------|
| TURANZA EL450 | 12817 | 235/40R19 | V | 80,000 |
| TURANZA EL450 | 13277 | 235/55R19 | V | 80,000 |
| TURANZA EL450 | 12818 | 265/35R19 | V | 80,000 |

Turanza EL450 RFT

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------|------------|------------|-------|----------|
| TURANZA EL450 RFT | 11372 | 225/50RF18 | V | 80,000 |
| TURANZA EL450 RFT | 4699 | 245/45R19 | V | 80,000 |
| TURANZA EL450 RFT | 6375 | 225/50R17 | V | 0 (Zero) |
| TURANZA EL450 RFT | 6373 | 225/50R18 | V | 0 (Zero) |
| TURANZA EL450 RFT | 15871 | 225/50RF18 | V | 80,000 |

Turanza EV

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Turanza LS100

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------|------------|------------|-------|--------|
| TURANZA LS100 | 11881 | 205/55R17 | H | 80,000 |
| TURANZA LS100 | 11873 | 215/50R18 | H | 80,000 |
| TURANZA LS100 | 11875 | 215/55R17 | H | 80,000 |
| TURANZA LS100 | 11874 | 225/50R18 | H | 80,000 |
| TURANZA LS100 | 11876 | 225/55R17 | H | 80,000 |
| TURANZA LS100 | 4437 | 235/40R19 | V | 80,000 |
| TURANZA LS100 | 3214 | P235/60R18 | V | 80,000 |

Turanza LS100 A

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-----------------|------------|-----------|-------|--------|
| TURANZA LS100 A | 12267 | 225/45R18 | H | 80,000 |
| TURANZA LS100 A | 7227 | 225/45R18 | H | 80,000 |

Turanza LS100 MO

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|------------------|------------|-----------|-------|--------|
| TURANZA LS100 MO | 13349 | 225/45R18 | H | 80,000 |

Turanza LS100 ARF

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------------|------------|-----------|-------|--------|
| TURANZA LS100 ARF | 7228 | 225/45R18 | H | 80,000 |

Turanza QuietTrack

130,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Turanza Serenity Plus (H Speed Rated)

130,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Turanza Serenity Plus (V Speed Rated)

120,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Turanza Serenity Plus (W Speed Rated)

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

WeatherPeak

110,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

FIRESTONE BRAND

The following tables contain the warranted mileage, if any, for Firestone brand tires sold as replacement tires. Tires sold as original equipment on new vehicles or their exact original equipment replacements do not have any warranted mileage unless explicitly shown in the following tables.

Affinity Touring S4

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------------|------------|------------|-------|--------|
| Affinity Touring S4 | 43580 | P215/55R16 | S | 80,000 |
| Affinity Touring S4 | 61923 | P195/65R15 | S | 80,000 |

Affinity Touring S4 FF

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|------------------------|------------|------------|-------|--------|
| Affinity Touring S4 FF | 125197 | P195/65R15 | H | 80,000 |
| Affinity Touring S4 FF | 13873 | 205/65R16 | H | 80,000 |
| Affinity Touring S4 FF | 240 | P195/65R15 | H | 80,000 |
| Affinity Touring S4 FF | 131657 | P205/65R16 | S | 80,000 |

Affinity Touring T4

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------------|------------|------------|-------|--------|
| Affinity Touring T4 | 43716 | P215/60R17 | T | 80,000 |

All Season

105,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------------|-------|--------|
| All Season | 3036 | 215/70R16 | S | 90,000 |
| All Season | 3042 | 225/70R16 | T | 90,000 |
| All Season | 3024 | P235/70R16 | T | 90,000 |
| All Season | 13343 | 225/65R17 | H | 90,000 |

| | | | | |
|------------|-------|------------|---|--------|
| All Season | 3019 | 225/65R17 | T | 90,000 |
| All Season | 3034 | 235/65R17 | T | 90,000 |
| All Season | 13751 | 235/65R18 | H | 90,000 |
| All Season | 3068 | 235/65R18 | T | 90,000 |
| All Season | 3072 | P255/65R18 | S | 90,000 |
| All Season | 3040 | 235/60R18 | H | 90,000 |
| All Season | 13342 | 245/60R18 | H | 90,000 |
| All Season | 3066 | 245/60R18 | T | 90,000 |
| All Season | 3058 | 265/60R18 | T | 90,000 |
| All Season | 3076 | 225/55R18 | H | 90,000 |
| All Season | 3030 | 235/55R18 | H | 90,000 |
| All Season | 3084 | P255/60R19 | S | 90,000 |
| All Season | 3050 | 235/55R19 | H | 90,000 |
| All Season | 3080 | 245/55R19 | S | 90,000 |
| All Season | 3092 | P255/55R20 | H | 90,000 |
| All Season | 3082 | P245/50R20 | H | 90,000 |

Champion Fuel Fighter

110,000 km – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Destination A/T

80,000 km – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-----------------|------------|----------------------|----------|----------|
| Destination A/T | Multiple | All LT and Flotation | Multiple | 0 (Zero) |
| Destination A/T | 112192 | P235/75R16 | S | 80,000 |
| Destination A/T | 17885 | P245/65R17 | T | 80,000 |
| Destination A/T | 13983 | P245/65R17 | T | 0 (Zero) |
| Destination A/T | 3345 | P245/65R17 | T | 80,000 |

Destination A/T2

90,000 km – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|------------------|------------|-----------|-------|----------|
| Destination A/T2 | 12112 | 275/65R18 | T | 0 (Zero) |

Destination LE

100,000 km – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|----------------|------------|----------------------|----------|----------|
| Destination LE | Multiple | All LT and Flotation | Multiple | 0 (Zero) |
| Destination LE | 112379 | P235/60R17 | H | 100,000 |

| | | | | |
|----------------|--------|------------|---|---------|
| Destination LE | 65068 | P235/65R16 | S | 100,000 |
| Destination LE | 108248 | P245/60R18 | S | 100,000 |
| Destination LE | 90177 | P265/65R18 | S | 100,000 |
| Destination LE | 90279 | P265/65R18 | S | 100,000 |

Destination LE2

100,000 km – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-----------------|------------|------------|-------|----------|
| Destination LE2 | 3351 | 225/60R17 | T | 100,000 |
| Destination LE2 | 24991 | 225/60R17 | T | 0 (Zero) |
| Destination LE2 | 6578 | 225/65R17 | H | 100,000 |
| Destination LE2 | 3352 | 225/65R17 | T | 100,000 |
| Destination LE2 | 25008 | 225/65R17 | T | 100,000 |
| Destination LE2 | 97759 | P235/70R16 | T | 100,000 |
| Destination LE2 | 11785 | 245/60R18 | H | 100,000 |
| Destination LE2 | 2360 | 245/60R18 | H | 100,000 |
| Destination LE2 | 6511 | P245/75R16 | S | 0 (Zero) |
| Destination LE2 | 97725 | P215/70R16 | H | 100,000 |
| Destination LE2 | 223 | P245/75R16 | S | 80,000 |
| Destination LE2 | 6513 | P265/65R17 | S | 100,000 |
| Destination LE2 | 224 | P265/65R17 | S | 0 (Zero) |
| Destination LE2 | 98133 | P275/60R17 | T | 100,000 |
| Destination LE2 | 6777 | 225/60R17 | T | 65,000 |

Destination LE3

110,000 km – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-----------------|------------|----------------------|----------|----------|
| Destination LE3 | Multiple | All LT and Flotation | Multiple | 0 (Zero) |

Destination X/T

80,000 km – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Firehawk A/S

80,000 km – Exceptions and Exact OE Equipment Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Firehawk A/S V2

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Firehawk GT H

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|--------------------|------------|------------|-------|----------|
| Firehawk GT H | 1548 | 185/55R15 | H | 80,000 |
| Firehawk GT H | 986 | 225/45R17 | H | 0 (Zero) |
| Firehawk GT H | 4651 | P235/50R18 | H | 0 (Zero) |
| Firehawk GT H | 149932 | P235/50R18 | H | 0 (Zero) |
| Firehawk GT H PRST | 149524 | P265/60R17 | H | 0 (Zero) |

Firehawk GT V

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|--------------------|------------|------------|-------|----------|
| Firehawk GT V | 134054 | 245/45R20 | V | 80,000 |
| Firehawk GT V PRST | 77342 | P225/60R18 | V | 0 (Zero) |
| Firehawk GT V PRST | 23189 | P265/60R17 | V | 0 (Zero) |

Firehawk Wide Oval AS (Speed Rating H/V)

80,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

Firehawk Wide Oval AS (Speed Rating W)

65,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

FR710

105,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------------|-------|---------|
| FR710 | 1278 | P185/60R15 | H | 65,000 |
| FR710 | 3192 | P185/65R15 | H | 65,000 |
| FR710 | 66105 | P215/55R17 | S | 105,000 |
| FR710 | 112345 | P215/60R16 | S | 105,000 |
| FR710 | 84856 | P225/60R17 | H | 105,000 |
| FR710 | 134037 | P225/60R18 | T | 105,000 |
| FR710 | 79042 | P235/60R17 | T | 105,000 |
| FR710 | 6505 | P235/60R17 | T | 105,000 |

FT140

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------------|-------|----------|
| FT140 | 6515 | 195/65R15 | S | 80,000 |
| FT140 | 6518 | 205/55R16 | H | 80,000 |
| FT140 | 7221 | 205/60R16 | H | 65,000 |
| FT140 | 9622 | 205/60R16 | H | 65,000 |
| FT140 | 7222 | 205/55R17 | V | 65,000 |
| FT140 | 265 | 215/50R17 | H | 80,000 |
| FT140 | 21285 | 215/55R16 | H | 80,000 |
| FT140 | 7148 | P205/55R16 | H | 80,000 |
| FT140 | 3196 | P205/65R16 | H | 80,000 |
| FT140 | 980 | 205/50R17 | V | 0 (Zero) |
| FT140 | 15150 | 205/50R17 | V | 0 (Zero) |
| FT140 | 15149 | 205/55R16 | V | 0 (Zero) |
| FT140 | 3208 | 205/65R16 | H | 0 (Zero) |
| FT140 | 3213 | P235/65R17 | T | 0 (Zero) |

Transforce HT

0 km (Zero) – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|---------------|------------|-------------|-------|--------|
| Transforce HT | 250109 | LT275/70R18 | S | 65,000 |

WeatherGrip

105,000 km – Exceptions and Exact OE Equipment
Replacements are noted below:

| Description | Article No | Size | Speed | km |
|-------------|------------|------|-------|----|
| None | | | | |

REPLACEMENT WARRANTY FOR ALL BRANDS

If you receive a Bridgestone, Firestone, or associated Bridgestone brand replacement tire under this Limited Warranty, it will be covered by the manufacturer's warranty or warranties, if any, given on that tire at that time.

WHERE TO GO

Tire adjustments under this Limited Warranty will only be made at an authorized Bridgestone, Firestone, or associated Bridgestone brand DEALER. Consult a phone directory (often listed in the Yellow Pages under "Tire Dealers") or the internet at www.bridgestonetire.ca for the location nearest you. Some DEALER locations (wholesale clubs, on-line purchases, and the like) may not service your warranty unless you hold a current membership and/or have purchased your tires at their location. Check with your DEALER to see if they have specific warranty processing requirements.

CONSUMER RIGHTS

This Limited Warranty gives you specific legal rights, and you may also have other rights which vary from province to province.

TIRE REGISTRATION

Bridgestone encourages you to ensure your tires are registered to receive direct notification in the event of a safety related recall. If you have received a tire registration postcard with your tire purchase, please send in the completed postcard or visit www.bridgestonetire.ca to register your tires.

CONDITIONS and EXCLUSIONS

To the extent permitted by law, Bridgestone Canada Inc. and its affiliates deny liability for any indirect, general, special, incidental, punitive or consequential damages, including economic loss, lost profits, loss of time, loss of vehicle use, or inconvenience, cost of towing, personal injury or death sustained in connection with these tires. (The remedies set out in this warranty are exclusive and the total liability of Bridgestone Canada Inc. and its affiliates with respect to your new Bridgestone tire shall not exceed the purchase price of the tire upon which such liability is based.)

OWNER'S OBLIGATIONS

In order to keep this Limited Warranty valid, we require you to have your tires regularly inspected and rotated per the recommendations outlined in the sections of the accompanying tire maintenance and safety manual entitled "Tire Damage, Inspection and Service Life" and "Radial Tire Rotation" and to furnish proof of same in order to receive an adjustment. Such proof should show the date, mileage, and servicing location. A sales receipt containing this information will suffice. In addition, a "Maintenance Record" is included in this manual.

Tires must be operated at the proper tire inflation pressures as specified by the vehicle manufacturer and within tire/vehicle load capacity and speed limitations. It is also your obligation to maintain proper wheel alignment and tire/wheel assembly balance.

To request an adjustment, you must present the tire to an authorized Bridgestone, Firestone, or associated Bridgestone brand DEALER. Complete and sign the customer section of the Bridgestone Canada Inc. Limited Warranty adjustment form and pay appropriate replacement price, taxes, disposal fee, and service charges, if any. Some DEALER locations (wholesale clubs, on-line purchases, and the like) may not service your warranty unless you hold a current membership and/or have purchased your tires at their location. Check with your DEALER to see if they have specific warranty processing requirements.

Tires submitted to Bridgestone Canada Inc. under the Limited Warranty become property of Bridgestone Canada Inc. and may not be returned. Tires may undergo both non-destructive and destructive inspection methods. Bridgestone Canada Inc. will be responsible for disposal of submitted tires in our possession.

GENERAL PROVISIONS and EXCLUSIONS

Nothing in these warranties is intended to be a representation that tire failures cannot occur. To the extent permitted by applicable law, no other representations, warranties or conditions, whether express or implied, statutory or otherwise, including warranties of merchantability and fitness for a particular purpose, shall apply to these tires. No one, including without limitation, any employee, dealer, retailer or representative, has the authority to make any representation, promise or agreement that in any way varies the terms or conditions hereof. These warranties and protections give you specific legal rights and you may have other rights that may vary from province to province. To the extent that the provisions of the applicable legislation expressly replace, eliminate, amend, extend or prohibit any term or terms contained herein, such term or terms shall be accordingly replaced, eliminated, amended or extended, as the case may be, in accordance with such legislation.

Customer, Vehicle, and Tire Identification

Customer Name

Address

City, Province, Postal Code

Invoice #

Date of Purchase

| Year of Vehicle | Make of Vehicle | Model of Vehicle | Beginning Mileage |
|-----------------|-----------------|------------------|-------------------|
| | | | |

Tire Brand

BRIDGESTONE **Firestone**

Product Information

Tire Size:

Speed Rating:

Tire Type:

Mileage Warranty:

Serial Numbers

1

2

3

4


5


6

Mileage Warranty Certificate

The dealer must stamp to be valid

VEHICLE MANUFACTURER'S RECOMMENDED INFLATION PRESSURE



CHECK YOUR

AIR PRESSURE
MONTHLY

Front _____ PSI

Rear _____ PSI

J
F
M
A
M
J
J
A
S
O
N
D

MAINTENANCE RECORD

| km | Date | Dealer | Inspection | Rotation | Balance | Alignment |
|----|------|--------|------------|----------|---------|-----------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

